## 38 CFR Ch. I (7-1-10 Edition)

100

60

30

10

100

100

60

30

10

	Rating
Requiring transfusion of platelets or red cells at least once every three months, or; infections recurring at least once every three months	60 30 10
shall be assigned as of the date of hospital admiss shall continue with a mandatory VA examinat months following hospital discharge. Any change uation based upon that or any subsequent exar shall be subject to the provisions of §3.105(e) chapter.	ion and ion six in eval- nination
7703 Leukemia: With active disease or during a treatment phase	100
NoTE: The 100 percent rating shall continue beyond t sation of any surgical, radiation, antineoplastic therapy or other therapeutic procedures. Six mont discontinuance of such treatment, the appropriate or rating shall be determined by mandatory VA exam Any change in evaluation based upon that or any quent examination shall be subject to the provis §3.105(e) of this chapter. If there has been no recurate on residuals.	chemo- hs after lisability nination. subse- sions of
7704 Polycythemia vera:  During periods of treatment with myelosuppressants and for three months following cessation of myelosuppressant therapy	100 40 10 s, stroke
7705 Thrombocytopenia, primary, idiopathic or immune:	
Platelet count of less than 20,000, with active bleeding, requiring treatment with medication and transfusions	100 70 30 0 20
NOTE: Rate complications such as systemic infection encapsulated bacteria separately.	ns with
7707 Spleen, injury of, healed.	

Rate for any residuals.

rence or metastasis, rate on residuals.

With active disease or during a treatment

NOTE: The 100 percent rating shall continue beyond the cessation of any surgical, radiation, antineoplastic chemo-

therapy or other therapeutic procedures. Six months after discontinuance of such treatment, the appropriate disability

rating shall be determined by mandatory VA examination.

Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of

§ 3.105(e) of this chapter. If there has been no local recur-

7709 Hodgkin's disease:

		Rating
7710 <i>A</i>	Adenitis, tuberculous, active or inactive.  Rate under §§ 4.88c or 4.89 of this part, whichever is appropriate.	
7714 \$	Sickle cell anemia:  With repeated painful crises, occurring in skin, joints, bones or any major organs caused by hemolysis and sickling of red	
	blood cells, with anemia, thrombosis and infarction, with symptoms precluding even light manual labor	100
	with symptoms precluding other than light manual labor	60
	Following repeated hemolytic sickling cri- ses with continuing impairment of health Asymptomatic, established case in remis-	30
	sion, but with identifiable organ impairment	10
tributa Cases the D	sickle cell trait alone, without a history of directible pathological findings, is not a ratable dies of symptomatic sickle cell trait will be forwaitector, Compensation and Pension Service, tition under § 3.321(b)(1) of this chapter.	isability. arded to
7715 N	Non-Hodgkin's lymphoma: With active disease or during a treatment phase	100
sation therap discor rating Any of quent § 3.10	he 100 percent rating shall continue beyond to fany surgical, radiation, antineoplastic by or other therapeutic procedures. Six mont tinuance of such treatment, the appropriate conshall be dtermined by mandatory VA examples are considered by the constant of the provision of the	chemo- hs after disability nination. subse- sions of
7716 <i>A</i>	Aplastic anemia: Requiring bone marrow transplant, or; requiring transfusion of platelets or red cells at least once every six weeks, or; infections recurring at least once every	
	six weeks	100
	every three months	60
	than once every three months	30 10
shall I shall month uation	The 100 percent rating for bone marrow trace assigned as of the date of hospital admissionation with a mandatory VA examinat is following hospital discharge. Any change hased upon that or any subsequent exambe subject to the provisions of §3.105(e)	ansplant sion and tion six in eval- mination

[60 FR 49227, Sept. 22, 1995]

THE SKIN

## $\S 4.118$ Schedule of ratings—skin.

A veteran who VA rated under diagnostic codes 7800, 7801, 7802, 7803, 7804, or 7805 before October 23, 2008 can request review under diagnostic codes

100

7800, 7801, 7802, 7804, and 7805, irrespective of whether the veteran's disability has increased since the last review. VA will review that veteran's disability rating to determine whether the veteran may be entitled to a higher disability rating under diagnostic codes 7800, 7801, 7802, 7804, and 7805. A request for review pursuant to this rulemaking will be treated as a claim for an increased rating for purposes of determining the effective date of an increased rating awarded as a result of such review; however, in no case will the award be effective before October 23, 2008.

	Rat- ing
7800 Burn scar(s) of the head, face, or neck; scar(s) of the head, face, or neck due to other causes; or other disfigurement of the head, face, or neck:	
With visible or palpable tissue loss and either gross distortion or asymmetry of three or more features or paired sets of features (nose, chin, forehead, eyes (including eyelids), ears (auricles), cheeks, lips), or; with six or more characteristics of disfigurement	80
With visible or palpable tissue loss and ei- ther gross distortion or asymmetry of two features or paired sets of features (nose, chin, forehead, eyes (including eyelids), ears (auricles), cheeks, lips), or; with four	
or five characteristics of disfigurement With visible or palpable tissue loss and either gross distortion or asymmetry of one feature or paired set of features (nose, chin, forehead, eyes (including eyelids), ears (auricles), cheeks, lips), or; with two	50
or three characteristics of disfigurement With one characteristic of disfigurement Note (1):The 8 characteristics of disfigurement, for purposes of evaluation under	30 10
§4.118, are: Scar 5 or more inches (13 or more cm.) in length.	
Scar at least one-quarter inch (0.6 cm.) wide at widest part.  Surface contour of scar elevated or de-	
pressed on palpation. Scar adherent to underlying tissue. Skin hypo-or hyper-pigmented in an area	
exceeding six square inches (39 sq. cm.).  Skin texture abnormal (irregular, atrophic, shiny, scaly, etc.) in an area exceeding six square inches (39 sq. cm.).	
Underlying soft tissue missing in an area exceeding six square inches (39 sq. cm.).  Skin indurated and inflexible in an area exceeding six square inches (39 sq. cm.).	

	Rat- ing
Note (2): Rate tissue loss of the auricle	
under DC 6207 (loss of auricle) and ana-	
tomical loss of the eye under DC 6061	
(anatomical loss of both eyes) or DC 6063 (anatomical loss of one eye), as ap-	
propriate.	
Note (3): Take into consideration	
unretouched color photographs when	
evaluating under these criteria.	
Note (4): Separately evaluate disabling ef- fects other than disfigurement that are as-	
sociated with individual scar(s) of the	
head, face, or neck, such as pain, insta-	
bility, and residuals of associated muscle	
or nerve injury, under the appropriate di-	
agnostic code(s) and apply § 4.25 to com-	
bine the evaluation(s) with the evaluation assigned under this diagnostic code.	
Note (5): The characteristic(s) of disfigure-	
ment may be caused by one scar or by	
multiple scars; the characteristic(s) re-	
quired to assign a particular evaluation need not be caused by a single scar in	
order to assign that evaluation.	
801 Burn scar(s) or scar(s) due to other causes,	
not of the head, face, or neck, that are deep and	
nonlinear:	
Area or areas of 144 square inches (929 sq.	
cm.) or greater	4
Area or areas of at least 72 square inches (465 sq. cm.) but less than 144 square	
inches (929 sq. cm.)	30
Area or areas of at least 12 square inches	0
(77 sq. cm.) but less than 72 square	
inches (465 sq. cm.)	20
Area or areas of at least 6 square inches	
(39 sq. cm.) but less than 12 square	1
inches (77 sq. cm.)  Note (1): A deep scar is one associated	1
with underlying soft tissue damage.	
Note (2): If multiple qualifying scars are	
present, or if a single qualifying scar af-	
fects more than one extremity, or a single	
qualifying scar affects one or more ex- tremities and either the anterior portion or	
posterior portion of the trunk, or both, or a	
single qualifying scar affects both the an-	
terior portion and the posterior portion of	
the trunk, assign a separate evaluation for	
each affected extremity based on the total	
area of the qualifying scars that affect that extremity, assign a separate evaluation	
based on the total area of the qualifying	
scars that affect the anterior portion of the	
trunk, and assign a separate evaluation	
based on the total area of the qualifying	
scars that affect the posterior portion of	
the trunk. The midaxillary line on each side separates the anterior and posterior	
portions of the trunk. Combine the sepa-	
	1
rate evaluations under §4.25. Qualifying	
rate evaluations under § 4.25. Qualifying scars are scars that are nonlinear, deep, and are not located on the head, face, or	

7802 Burn scar(s) or scar(s) due to other causes,

not of the head, face, or neck, that are superficial

Area or areas of 144 square inches (929 sq. cm.) or greater .....

10

and nonlinear:

	Rat-		Rat-
	ing		ing
Note (1): A superficial scar is one not asso- ciated with underlying soft tissue damage Note (2): If multiple qualifying scars are present, or if a single qualifying scar af- fects more than one extremity, or a single qualifying scar affects one or more ex-		Less than 5 percent of the entire body or less than 5 percent of exposed areas affected, and; no more than topical therapy required during the past 12-month period Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801,	(
tremities and either the anterior portion or posterior portion of the trunk, or both, or a		7802, 7803, 7804, or 7805), depending upon the predominant disability.	
single qualifying scar affects both the anterior portion and the posterior portion of		7807 American (New World) leishmaniasis (mucocutaneous, espundia):	
the trunk, assign a separate evaluation for each affected extremity based on the total area of the qualifying scars that affect that extremity, assign a separate evaluation based on the total area of the qualifying		Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or dermatitis (DC 7806), depending upon the predominant disability.	
scars that affect the anterior portion of the trunk, and assign a separate evaluation		Note: Evaluate non-cutaneous (visceral) leishmaniasis under DC 6301 (visceral)	
based on the total area of the qualifying scars that affect the posterior portion of the trunk. The midaxillary line on each		leishmaniasis). 7808 Old World leishmaniasis (cutaneous, Oriental	
side separates the anterior and posterior portions of the trunk. Combine the sepa-		sore):  Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's, 7801, 7802,	
rate evaluations under § 4.25. Qualifying scars are scars that are nonlinear, superficial, and are not located on the head,		7803, 7804, or 7805), or dermatitis (DC 7806), depending upon the predominant disability.	
face, or neck.  804 Scar(s), unstable or painful:.  Five or more scars that are unstable or painful	30	Note: Evaluate non-cutaneous (visceral) leishmaniasis under DC 6301 (visceral leishmaniasis).	
Three or four scars that are unstable or painful	20	7809 Discoid lupus erythematosus or subacute cutaneous lupus erythematosus:	
One or two scars that are unstable or painful	10	Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802	
any reason, there is frequent loss of covering of skin over the scar.  Note (2): If one or more scars are both un-		7803, 7804, or 7805), or dermatitis (DC 7806), depending upon the predominant disability. Do not combine with ratings under DC 6350.	
stable and painful, add 10 percent to the evaluation that is based on the total num-		7811 Tuberculosis luposa (lupus vulgaris), active or inactive:	
ber of unstable or painful scars  Note (3): Scars evaluated under diagnostic codes 7800, 7801, 7802, or 7805 may		Rate under §§ 4.88c or 4.89, whichever is appropriate.	
also receive an evaluation under this diagnostic code, when applicable 805 Scars, other (including linear scars) and other		7813 Dermatophytosis (ringworm: of body, tinea corporis; of head, tinea capitis; of feet, tinea pedis; of beard area, tinea barbae; of nails, tinea	
effects of scars evaluated under diagnostic codes 7800, 7801, 7802, and 7804:		unguium; of inguinal area (jock itch), tinea cruris):  Rate as disfigurement of the head, face, or	
Evaluate any disabling effect(s) not considered in a rating provided under diagnostic codes 7800–04 under an appropriate di-		neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or dermatitis (DC 7806), depending upon the predominant	
agnostic code  806 Dermatitis or eczema.  More than 40 percent of the entire body or		disability.  7815 Bullous disorders (including pemphigus vulgaris, pemphigus foliaceous, bullous	
more than 40 percent of the exposed areas affected, or, constant or near-constant systemic therapy such as corticosteroids or other immunosuppressive drugs re-		pemphigoid, dermatitis herpetiformis, epidermolysis bullosa acquisita, benign chronic familial pemphigus (Hailey-Hailey), and porphyria cutanea tarda):	
quired during the past 12-month period 20 to 40 percent of the entire body or 20 to 40 percent of exposed areas affected, or;	60	More than 40 percent of the entire body or more than 40 percent of exposed areas affected, or; constant or near-constant	
systemic therapy such as corticosteroids or other immunosuppressive drugs re- quired for a total duration of six weeks or		systemic therapy such as corticosteroids or other immunosuppressive drugs re- quired during the past 12-month period	(
more, but not constantly, during the past 12-month period	30	20 to 40 percent of the entire body or 20 to 40 percent of exposed areas affected, or; systemic therapy such as corticosteroids	
of the entire body, or at least 5 percent, but less than 20 percent, of exposed		or other immunosuppressive drugs required for a total duration of six weeks or	
areas affected, or; intermittent systemic therapy such as corticosteroids or other immunosuppressive drugs required for a		more, but not constantly, during the past 12-month period	3
total duration of less than six weeks dur- ing the past 12-month period	10		

	Rat- ing		Rat- ing
At least 5 percent, but less than 20 percent, of the entire body, or at least 5 percent, but less than 20 percent, of exposed areas affected, or; intermittent systemic therapy such as corticosteroids or other immunosuppressive drugs required for a total duration of less than six weeks during the past 12-month period	10	Any extent of involvement of the skin, and; systemic therapy such as therapeutic doses of corticosteroids, immuno-suppressive retinoids, PUVA (psoralen with long-wave ultraviolet-A light) or UVB (ultraviolet-B light) treatments, or electron beam therapy required for a total duration of six weeks or more, but not constantly, during the past 12-month period	30
upon the predominant disability. 7816 Psoriasis:		beam therapy required for a total duration of less than six weeks during the past 12-	
More than 40 percent of the entire body or		month periodAny extent of involvement of the skin, and;	10
more than 40 percent of exposed areas affected, or; constant or near-constant		no more than topical therapy required dur-	
systemic therapy such as corticosteroids or other immunosuppressive drugs re-		ing the past 12-month period	0
quired during the past 12-month period	60	nant melanoma):	
20 to 40 percent of the entire body or 20 to 40 percent of exposed areas affected, or, systemic therapy such as corticosteroids or other immunosuppressive drugs re-		Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or impairment of function.	
quired for a total duration of six weeks or		Note: If a skin malignancy requires therapy	
more, but not constantly, during the past 12-month period	30	that is comparable to that used for sys- temic malignancies, <i>i.e.</i> , systemic chemo-	
At least 5 percent, but less than 20 percent,		therapy, X-ray therapy more extensive	
of the entire body, or at least 5 percent, but less than 20 percent, of exposed		than to the skin, or surgery more exten- sive than wide local excision, a 100-per-	
areas affected, or; intermittent systemic		cent evaluation will be assigned from the	
therapy such as corticosteroids or other immunosuppressive drugs required for a		date of onset of treatment, and will con- tinue, with a mandatory VA examination	
total duration of less than six weeks dur-		six months following the completion of	
ing the past 12-month period Less than 5 percent of the entire body or	10	such antineoplastic treatment, and any change in evaluation based upon that or	
exposed areas affected, and; no more		any subsequent examination will be sub-	
than topical therapy required during the past 12-month period	0	ject to the provisions of §3.105(e) of this chapter. If there has been no local recur-	
Or rate as disfigurement of the head, face,		rence or metastasis, evaluation will then	
or neck (DC 7800) or scars (DC's 7801,		be made on residuals. If treatment is con- fined to the skin, the provisions for a 100-	
7802, 7803, 7804, or 7805), depending upon the predominant disability.		percent evaluation do not apply.	
7817 Exfoliative dermatitis (erythroderma):		7819 Benign skin neoplasms:  Rate as disfigurement of the head, face, or	
Generalized involvement of the skin, plus systemic manifestations (such as fever, weight loss, and hypoproteinemia), and;		neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or impairment of	
constant or near-constant systemic ther-		function. 7820 Infections of the skin not listed elsewhere (in-	
apy such as therapeutic doses of corticosteroids, immunosuppressive		cluding bacterial, fungal, viral, treponemal and	
retinoids, PUVA (psoralen with long-wave		parasitic diseases):	
ultraviolet-A light) or UVB (ultraviolet-B light) treatments, or electron beam ther-		Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802,	
apy required during the past 12-month pe-		7803, 7804, or 7805), or dermatitis (DC	
riod  Generalized involvement of the skin without	100	7806), depending upon the predominant disability.	
systemic manifestations, and; constant or near-constant systemic therapy such as therapeutic doses of corticosteroids, im-		7821 Cutaneous manifestations of collagen-vas- cular diseases not listed elsewhere (including scleroderma, calcinosis cutis, and dermato-	
munosuppressive retinoids, PUVA		myositis):	
(psoralen with long-wave ultraviolet-A light) or UVB (ultraviolet-B light) treat-		More than 40 percent of the entire body or more than 40 percent of exposed areas	
ments, or electron beam therapy required		affected, or; constant or near-constant	
during the past 12-month period	60	systemic therapy such as corticosteroids or other immunosuppressive drugs re-	

-	Det		Det
	Rat- ing		Rat- ing
20 to 40 percent of the entire body or 20 to 40 percent of exposed areas affected, or; systemic therapy such as corticosteroids or other immunosuppressive drugs required for a total duration of six weeks or more, but not constantly, during the past		With localized or episodic cutaneous in- volvement and intermittent systemic medi- cation, such as immunosuppressive retinoids, required for a total duration of less than six weeks during the past 12-	10
12-month period	30	month period  No more than topical therapy required during the past 12-month period	0
of the entire body, or at least 5 percent, but less than 20 percent, of exposed areas affected, or; intermittent systemic therapy such as corticosteroids or other		7825 Urticaria:  Recurrent debilitating episodes occurring at least four times during the past 12-month	
immunosuppressive drugs required for a total duration of less than six weeks during the past 12-month period	10	period despite continuous immuno- suppressive therapy	60
Less than 5 percent of the entire body or exposed areas affected, and; no more than topical therapy required during the		period, and; requiring intermittent systemic immunosuppressive therapy for	30
past 12-month period	0	control  Recurrent episodes occurring at least four times during the past 12-month period, and; responding to treatment with antihis-	30
7802, 7805, 7804, 01 7805), depending upon the predominant disability.  7822 Papulosquamous disorders not listed elsewhere (including lichen planus, large or small		tamines or sympathomimetics	10
plaque parapsoriasis, pityriasis lichenoides et varioliformis acuta (PLEVA), lymphomatoid papulosus, and pityriasis rubra pilaris (PRP)):		least four times during the past 12-month period despite continuous immuno-suppressive therapy	60
More than 40 percent of the entire body or more than 40 percent of exposed areas affected, and; constant or near-constant systemic medications or intensive light		Recurrent debilitating episodes occurring at least four times during the past 12-month period, and; requiring intermittent sys- temic immunosuppressive therapy for	
therapy required during the past 12-month period	60	control	30
systemic therapy or intensive light therapy required for a total duration of six weeks or more, but not constantly, during the	00	munosuppressive therapy for control Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801,	10
past 12-month period	30	7802, 7803, 7804, or 7805), depending upon the predominant disability.  7827 Erythema multiforme; Toxic epidermal necrolysis:	
areas affected, or; systemic therapy or in- tensive light therapy required for a total duration of less than six weeks during the		Recurrent debilitating episodes occurring at least four times during the past 12-month period despite ongoing immuno-	
past 12-month period Less than 5 percent of the entire body or exposed areas affected, and; no more	10	suppressive therapy	60
than topical therapy required during the past 12-month period	0	and; requiring intermittent systemic immunosuppressive therapy	30
or neck (DC 7800) or scars (DC's 7801, 7802, 7803, 7804, or 7805), depending upon the predominant disability.  7823 Vitiligo:		Recurrent episodes occurring during the past 12-month period that respond to treatment with antihistamines or sympathomimetics, or; one to three epi-	
With exposed areas affected	10 0	sodes occurring during the past 12-month period requiring intermittent systemic immunosuppressive therapy	10
7824 Diseases of keratinization (including icthyoses, Darier's disease, and palmoplantar keratoderma): With either generalized cutaneous involve- ment or systemic manifestations, and; constant or near-constant systemic medi-		Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801, 7802, 7803, 7804, or 7805), depending upon the predominant disability.	.0
cation, such as immunosuppressive retinoids, required during the past 12-month period	60	7828 Acne:  Deep acne (deep inflamed nodules and pus- filled cysts) affecting 40 percent or more	00
With either generalized cutaneous involve- ment or systemic manifestations, and; intermittent systemic medication, such as immunosuppressive retinoids, required for		of the face and neck	30
a total duration of six weeks or more, but not constantly, during the past 12-month period	30	than on the face and neck Superficial acne (comedones, papules, pustules, superficial cysts) of any extent	10

'829 (	Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801,	Rat- ing	Thyroid enlargement, tachycardia (more than 100	R ir
'829 (			Thyroid enlargement, tachycardia (more than 100	
'829 (	7802, 7803, 7804, or 7805), depending upon the predominant disability.		beats per minute), eye involvement, muscular weakness, loss of weight, and sympathetic nervous system, cardiovascular, or	
	Chloracne:		astrointestinal symptoms	1
	Deep acne (deep inflamed nodules and pus- filled cysts) affecting 40 percent or more		increased pulse pressure or blood pressure	
	of the face and neck  Deep acne (deep inflamed nodules and pus-	30	Tachycardia, tremor, and increased pulse pres- sure or blood pressure	
	filled cysts) affecting less than 40 percent		Tachycardia, which may be intermittent, and trem- or, or; continuous medication required for con-	
	of the face and neck, or; deep acne other than on the face and neck	10	trol	
	Superficial acne (comedones, papules,		NOTE (1): If disease of the heart is the predomi- nant finding, evaluate as hyperthyroid heart dis-	
	pustules, superficial cysts) of any extent  Or rate as disfigurement of the head, face,	0	ease (DC 7008) if doing so would result in a	
	or neck (DC 7800) or scars (DC's 7801,		higher evaluation than using the criteria above. NOTE (2): If ophthalmopathy is the sole finding,	
	7802, 7803, 7804, or 7805), depending upon the predominant disability.		evaluate as field vision, impairment of (DC	
'830 s	Scarring alopecia:		6080); diplopia (DC 6090); or impairment of central visual acuity (DC 6061–6079).	
	Affecting more than 40 percent of the scalp	20	7901 Thyroid gland, toxic adenoma of	
	Affecting 20 to 40 percent of the scalp	10 0	Thyroid enlargement, tachycardia (more than 100 beats per minute), eye involvement, muscular	
7831	Alopecia areata:	ŭ	weakness, loss of weight, and sympathetic	
	With loss of all body hair	10 0	nervous system, cardiovascular, or gastro- intestinal symptoms	
7832	With loss of nair limited to scalp and face  Hyperhidrosis:	U	Emotional instability, tachycardia, fatigability, and	
	Unable to handle paper or tools because of		increased pulse pressure or blood pressure	
	moisture, and unresponsive to therapy  Able to handle paper or tools after therapy	30 0	Tachycardia, tremor, and increased pulse pres- sure or blood pressure	
833	Malignant melanoma:	· ·	Tachycardia, which may be intermittent, and trem-	
	Rate as scars (DC's 7801, 7802, 7803,		or, or; continuous medication required for con- trol	
	7804, or 7805), disfigurement of the head, face, or neck (DC 7800), or impairment of		NOTE (1): If disease of the heart is the predomi-	
	function (under the appropriate body sys-		nant finding, evaluate as hyperthyroid heart dis- ease (DC 7008) if doing so would result in a	
	tem).  Note: If a skin malignancy requires therapy		higher evaluation than using the criteria above.	
	that is comparable to that used for sys-		NOTE (2): If ophthalmopathy is the sole finding, evaluate as field vision, impairment of (DC	
	temic malignancies, <i>i.e.</i> , systemic chemotherapy, X-ray therapy more extensive		6080); diplopia (DC 6090); or impairment of	
	than to the skin, or surgery more exten-		central visual acuity (DC 6061–6079). 7902 Thyroid gland, nontoxic adenoma of	
	sive than wide local excision, a 100-per- cent evaluation will be assigned from the		With disfigurement of the head or neck	
	date of onset of treatment, and will con-		Without disfigurement of the head or neck  NOTE: If there are symptoms due to pressure on	
	tinue, with a mandatory VA examination six months following the completion of		adjacent organs such as the trachea, larynx, or	
	such antineoplastic treatment, and any		esophagus, evaluate under the diagnostic code for disability of that organ, if doing so would re-	
	change in evaluation based upon that or any subsequent examination will be sub-		sult in a higher evaluation than using this diag-	
	ject to the provisions of §3.105(e). If there		nostic code. 7903 Hypothyroidism	
	has been no local recurrence or metas- tasis, evaluation will then be made on re-		Cold intolerance, muscular weakness, cardio-	
	siduals. If treatment is confined to the		vascular involvement, mental disturbance (de- mentia, slowing of thought, depression),	
	skin, the provisions for a 100-percent evaluation do not apply.		bradycardia (less than 60 beats per minute),	
			and sleepiness	
Auth	nority: 38 U.S.C. 1155)		weight gain	
	,	59440	Fatigability, constipation, and mental sluggishness Fatigability, or; continuous medication required for	
	R 49596, July 31, 2002; 67 FR 58448, 16, 2002; 73 FR 54710, Oct. 23, 2008]	50449,	control	
			7904 Hyperparathyroidism  Generalized decalcification of bones, kidney	
	THE ENDOCRINE SYSTEM		stones, gastrointestinal symptoms (nausea,	
4.11	9 Schedule of ratings—endo	mira	vomiting, anorexia, constipation, weight loss, or	
	ystem.	rme	peptic ulcer), and weakness	
	•		Continuous medication required for control	
		Rat- ing	NOTE: Following surgery or treatment, evaluate as digestive, skeletal, renal, or cardiovascular re-	
		9	siduals or as endocrine dysfunction.	